

CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	SERIES: WI TGB50/9

# WI TGB50/9

## SPECIFICATION & FEATURES

### DESCRIPTION

2 Gang 2 3/16" Deep Box

### CONSTRUCTION

**Description:** 2 Gang Weatherproof Box 2-3/16" Deep 3 X 1" Hole- Gray

**Features:** Die Cast Copper-Free Aluminum; Premium Powder Coat Finish; 2 closure plugs included; Ground screw installed; Lugs included

**Series:** WITGB



### RATINGS


**Country of Origin:** CN

**Standard:** UL Listed

**Listing:** UL

**Rating:** WET

### LINE DRAWING













## ORDERING INFORMATION

IMAGE	PART #	STOCK CODE	DESCRIPTION	DEPTH	MATERIAL	MOUNTING TYPE
<small>IMAGE COMING SOON</small>	WI TGB75/9	0278-8428	WI 2G 2-3/16" DEEP BOX 3X1" H	2-3/16 Inches	Aluminum	FIXED
	<b>STANDARD</b>	<b>WEIGHT</b>	<b>A (IN)</b>	<b>B (IN)</b>	<b>C (IN)</b>	<b>NPT</b>
	UL	0.815 Pounds	4.567"	4.567"	2.264"	3/4-14NPT
	WI TGB75/7X	0278-8428	WI 2G 2-3/16" DEEP BOX 3X1" H	2-3/16 Inches	Aluminum	FIXED
	<b>STANDARD</b>	<b>WEIGHT</b>	<b>A (IN)</b>	<b>B (IN)</b>	<b>C (IN)</b>	<b>NPT</b>
	UL	0.788 Pounds	4.567"	4.567"	2.264"	3/4-14NPT
	WI TGB50/9	0278-8428	WI 2G 2-3/16" DEEP BOX 3X1" H	2-3/16 Inches	Aluminum	FIXED
	<b>STANDARD</b>	<b>WEIGHT</b>	<b>A (IN)</b>	<b>B (IN)</b>	<b>C (IN)</b>	<b>NPT</b>
	UL	0.782 Pounds	4.567"	4.567"	2.264"	1/2-14NPT
	WI TGB50/7X	0278-8428	WI 2G 2-3/16" DEEP BOX 3X1" H	2-3/16 Inches	Aluminum	FIXED
	<b>STANDARD</b>	<b>WEIGHT</b>	<b>A (IN)</b>	<b>B (IN)</b>	<b>C (IN)</b>	<b>NPT</b>
	UL	0.788 Pounds	4.567"	4.567"	2.264"	1/2-14NPT
	WI TGB100/4	0278-8428	WI 2G 2-3/16" DEEP BOX 3X1" H	2.1875 Inches	Aluminum	FIXED
	<b>MOUNTING TYPE</b>	<b>STANDARD</b>	<b>WEIGHT</b>	<b>WIDTH</b>	<b>A (IN)</b>	<b>B (IN)</b>
	FIXED	UL	0.845 Pounds	2.75 Inches	4.567"	4.567"

CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	SERIES: WITGB

# WI TGB50/9

## ORDERING INFORMATION CONTINUED

	<b>PART #</b> WI TGB100/5X	<b>STOCK CODE</b> 0278-8434	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 5X1" H	<b>DEPTH</b> 2.1875 Inches	<b>HEIGHT</b> 4.5 Inches	<b>MATERIAL</b> Aluminum
	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL	<b>WEIGHT</b> 0.875 Pounds	<b>WIDTH</b> 2.75 Inches	<b>A (IN)</b> 4.567"	<b>B (IN)</b> 4.567"
	<b>PART #</b> WI TGB75/7	<b>STOCK CODE</b> 0278-8470	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 7X3/4" H	<b>CABLE ENTRY</b> Knock Outs	<b>DEPTH</b> 2 Inches	<b>HEIGHT</b> 4.56 Inches
	<b>MATERIAL</b> Die-Cast Aluminum	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL Listed	<b>WEIGHT</b> 0.821 Pounds	<b>WIDTH</b> 4.56 Inches	<b>A (IN)</b> 4.567"
	<b>PART #</b> WI TGB75/5X	<b>STOCK CODE</b> 0278-8467	<b>DESCRIPTION</b> WI 2G 2-3/16" Deep Box 5X3/4" H	<b>DEPTH</b> 2.264 Inches	<b>HEIGHT</b> 4.567 Inches	<b>MATERIAL</b> Aluminum
	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL	<b>WEIGHT</b> 0.817 Pounds	<b>WIDTH</b> 4.567 Inches	<b>A (IN)</b> 4.567"	<b>B (IN)</b> 4.567"
	<b>PART #</b> WI TGB75/5	<b>STOCK CODE</b> 0278-8464	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 5X3/4" H	<b>CABLE ENTRY</b> Knock Outs	<b>DEPTH</b> 2 Inches	<b>HEIGHT</b> 4.56 Inches
	<b>MATERIAL</b> Die-Cast Aluminum	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL Listed	<b>WEIGHT</b> 0.795 Pounds	<b>WIDTH</b> 4.56 Inches	<b>A (IN)</b> 4.567"
	<b>PART #</b> WI TGB75/4	<b>STOCK CODE</b> 0278-8461	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 4X3/4" H	<b>CABLE ENTRY</b> Knock Outs	<b>DEPTH</b> 2 Inches	<b>HEIGHT</b> 4.56 Inches
	<b>MATERIAL</b> Die-Cast Aluminum	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL Listed	<b>WEIGHT</b> 0.739 Pounds	<b>WIDTH</b> 4.56 Inches	<b>A (IN)</b> 4.567"
	<b>PART #</b> WI TGB75/3	<b>STOCK CODE</b> 0278-8458	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 3X3/4" H	<b>CABLE ENTRY</b> Knock Outs	<b>DEPTH</b> 2 Inches	<b>HEIGHT</b> 4.56 Inches
	<b>MATERIAL</b> Die-Cast Aluminum	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL Listed	<b>WEIGHT</b> 0.72 Pounds	<b>WIDTH</b> 4.56 Inches	<b>A (IN)</b> 4.567"
	<b>PART #</b> WI TGB50/7	<b>STOCK CODE</b> 0278-8449	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 7X1/2" H	<b>CABLE ENTRY</b> Knock Outs	<b>DEPTH</b> 2 Inches	<b>HEIGHT</b> 4.56 Inches
	<b>MATERIAL</b> Die-Cast Aluminum	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL Listed	<b>WEIGHT</b> 0.797 Pounds	<b>WIDTH</b> 4.56 Inches	<b>A (IN)</b> 4.567"
	<b>PART #</b> WI TGB50/5X	<b>STOCK CODE</b> 0278-8446	<b>DESCRIPTION</b> WI 2G 2-3/16" Deep Box 5X1/2" H	<b>DEPTH</b> 2.264 Inches	<b>HEIGHT</b> 4.567 Inches	<b>MATERIAL</b> Aluminum
	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL	<b>WEIGHT</b> 0.795 Pounds	<b>WIDTH</b> 4.567 Inches	<b>A (IN)</b> 4.567"	<b>B (IN)</b> 4.567"
	<b>PART #</b> WI TGB50/5	<b>STOCK CODE</b> 0278-8443	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 5X1/2" H	<b>CABLE ENTRY</b> Knock Outs	<b>DEPTH</b> 2 Inches	<b>HEIGHT</b> 4.56 Inches
	<b>MATERIAL</b> Die-Cast Aluminum	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL Listed	<b>WEIGHT</b> 0.755 Pounds	<b>WIDTH</b> 4.56 Inches	<b>A (IN)</b> 4.567"
	<b>PART #</b> WI TGB50/4	<b>STOCK CODE</b> 0278-8440	<b>DESCRIPTION</b> WI 2G 2-3/16" DEEP BOX 4X1/2" H	<b>CABLE ENTRY</b> Knock Outs	<b>DEPTH</b> 2 Inches	<b>HEIGHT</b> 4.56 Inches
	<b>MATERIAL</b> Die-Cast Aluminum	<b>MOUNTING TYPE</b> FIXED	<b>STANDARD</b> UL Listed	<b>WEIGHT</b> 0.739 Pounds	<b>WIDTH</b> 4.56 Inches	<b>A (IN)</b> 4.567"

CONTRACTOR:	
PROJECT:	DATE:
PREPARED BY:	SERIES: WITGB

# WI TGB50/9

## ORDERING INFORMATION CONTINUED



**PART #**  
WI TGB50/3

**STOCK CODE**  
0278-8437

**DESCRIPTION**  
WI 2G 2-3/16" DEEP BOX  
3X1/2" H

**CABLE ENTRY**  
Knock Outs

**DEPTH**  
2 Inches

**HEIGHT**  
4.56 Inches

**MATERIAL**  
Die-Cast Aluminum

**MOUNTING TYPE**  
FIXED

**STANDARD**  
UL Listed

**WEIGHT**  
0.715 Pounds

**WIDTH**  
4.56 Inches

**A (IN)**  
4.567"



**PART #**  
WI TGB100/3

**STOCK CODE**  
0278-8428

**DESCRIPTION**  
WI 2G 2-3/16" DEEP BOX  
3X1" H

**CABLE ENTRY**  
Knock Outs

**DEPTH**  
2 Inches

**HEIGHT**  
4.56 Inches

**MATERIAL**  
Die-Cast Aluminum

**MOUNTING TYPE**  
FIXED

**STANDARD**  
UL Listed

**WEIGHT**  
0.944 Pounds

**WIDTH**  
4.56 Inches

**A (IN)**  
4.567"